

<FDSNStationXML schemaVersion="1.0" xsi:schemaLocation="http://www.fdsn.org/xml/station/1
http://www.fdsn.org/xml/station/fdsn-station-1.0.xsd">
<Source>RESIF</Source>
<Sender>RESIF</Sender>
<Module>
RESIF WEB SERVICE: http://ws.resif.fr/ws/station - version: 1.2
</Module>
<ModuleURI>
http://ws.resif.fr/fdsnws/station/1/query?network=RA&station=NCAD&format=xml&level=channel
</ModuleURI>
<Created>2019-11-26T09:35:19Z</Created>
<Network code="RA" alternateCode="RAP" startDate="1995-01-01T00:00:00"
endDate="2500-12-31T23:59:59" restrictedStatus="open">
<Description>RESIF-RAP Accelerometric permanent network</Description>
<Comment>
<Value>DOI:http://dx.doi.org/10.15778/RESIF.RA</Value>
<BeginEffectiveTime>1995-01-01T00:00:00</BeginEffectiveTime>
<EndEffectiveTime>2500-12-31T23:59:59</EndEffectiveTime>
<Author>
<Name>Resif Information System</Name>
<Agency>Réseau Sismologique et géodésique Français (RESIF)</Agency>
<Email>RA@resif.fr</Email>
</Author>
</Comment>
<TotalNumberStations>230</TotalNumberStations>
<SelectedNumberStations>1</SelectedNumberStations>
<Station code="NCAD" startDate="2002-04-26T10:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Site>
<Name>Centre Administratif Nice (06) France</Name>
</Site>
<Geology>
deep deposit of medium dense sand, gravel or medium stiff clays (Vs30>180m/s and Vs30<360
m/s)
</Geology>
<Operator>
<Agency>Observatoire de la Cote d'Azur (OCA)</Agency>
</Operator>
<CreationDate>2002-04-26T10:00:00.000000</CreationDate>
<TotalNumberChannels>42</TotalNumberChannels>
<SelectedNumberChannels>42</SelectedNumberChannels>
<Channel locationCode="00" code="HNZ" startDate="2002-04-26T10:00:00.000000"
endDate="2007-01-12T11:14:59.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>1.68024e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN1" startDate="2002-04-26T10:00:00.000000"
endDate="2007-01-12T11:14:59.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>8.0</Azimuth>
<Dip>0.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>1.67994e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN2" startDate="2002-04-26T10:00:00.000000"
endDate="2007-01-12T11:14:59.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>98.0</Azimuth>
<Dip>0.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

```
<InstrumentSensitivity>
<Value>1.67836e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNZ" startDate="2007-01-12T11:15:00.000000"
endDate="2008-02-06T10:29:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>1.68024e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN1" startDate="2007-01-12T11:15:00.000000"
endDate="2008-02-06T10:29:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>8.0</Azimuth>
<Dip>0.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
```

<InstrumentSensitivity>
<Value>1.67994e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN2" startDate="2007-01-12T11:15:00.000000"
endDate="2008-02-06T10:29:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>98.0</Azimuth>
<Dip>0.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>1.67836e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNZ" startDate="2008-02-06T10:30:00.000000"
endDate="2013-05-22T10:30:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>1.68024e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN1" startDate="2008-02-06T10:30:00.000000"
endDate="2013-05-22T10:30:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>8.0</Azimuth>
<Dip>0.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>1.67994e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN2" startDate="2008-02-06T10:30:00.000000"
endDate="2013-05-22T10:30:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>98.0</Azimuth>
<Dip>0.0</Dip>
<Type>TRIGGERED</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>1.67836e+06</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="A1" code="HNZ" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>950083</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="A1" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>950461</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="A1" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>948561</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="A0" code="HNZ" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

```
<InstrumentSensitivity>
<Value>949018</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="A0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>950424</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="A0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
```

<InstrumentSensitivity>
<Value>949930</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="A2" code="HNZ" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>930054</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="C1" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-9.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>932254</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="C0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-9.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>930464</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="C0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-9.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>932627</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="G0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-21.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>932627</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="G0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-21.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>930912</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="J0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-30.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>931807</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="J0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-30.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>931285</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="M1" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-39.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>931135</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="M0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-39.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>

```
<InstrumentSensitivity>
<Value>930651</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="M0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-39.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>931583</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="P0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-48.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
```

```
<InstrumentSensitivity>
<Value>932366</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="P0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-48.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>930837</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="S0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-57.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
```

<InstrumentSensitivity>
<Value>932366</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="V1" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-66.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>930837</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="V0" code="HN1" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-66.0</Depth>
<Azimuth>343.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>929756</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="V0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-66.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>931471</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="S0" code="HN2" startDate="2010-10-18T18:00:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>-57.0</Depth>
<Azimuth>73.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS ESU2</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>930800</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNZ" startDate="2013-05-22T11:00:00.000000"
endDate="2019-01-11T09:49:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>5.47726e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN1" startDate="2013-05-22T11:00:00.000000"
endDate="2019-01-11T09:49:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>8.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>5.47773e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HN2" startDate="2013-05-22T11:00:00.000000"
endDate="2019-01-11T09:49:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>98.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>5.4705e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNZ" startDate="2019-01-11T09:50:00.000000"
endDate="2019-05-03T07:31:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>5.47726e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNN" startDate="2019-01-11T09:50:00.000000"
endDate="2019-05-03T07:31:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>5.47773e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNE" startDate="2019-01-11T09:50:00.000000"
endDate="2019-05-03T07:31:00.000000" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>90.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

<InstrumentSensitivity>
<Value>5.4705e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNZ" startDate="2019-05-03T07:35:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>-90.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>5.47726e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNN" startDate="2019-05-03T07:35:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>0.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>

```
<InstrumentSensitivity>
<Value>5.47773e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
<Channel locationCode="00" code="HNE" startDate="2019-05-03T07:35:00.000000"
endDate="2500-12-31T23:59:59.999999" restrictedStatus="open">
<Latitude>43.671500</Latitude>
<Longitude>7.199880</Longitude>
<Elevation>5.0</Elevation>
<Depth>0.0</Depth>
<Azimuth>90.0</Azimuth>
<Dip>0.0</Dip>
<Type>CONTINUOUS</Type>
<Type>GEOPHYSICAL</Type>
<SampleRate>125.0</SampleRate>
<ClockDrift>2e-07</ClockDrift>
<Sensor>
<Description>KINEMATRICS EST</Description>
</Sensor>
<Response>
<InstrumentSensitivity>
<Value>5.4705e+07</Value>
<Frequency>1.00</Frequency>
<InputUnits>
<Name>M/S**2</Name>
<Description>Acceleration</Description>
</InputUnits>
<OutputUnits>
<Name>V</Name>
<Description>Volts</Description>
</OutputUnits>
</InstrumentSensitivity>
</Response>
</Channel>
</Station>
</Network>
</FDSNStationXML>
```